



MINISTERIO
DE SANIDAD, SERVICIOS SOCIALES
E IGUALDAD

am agencia española de
medicamentos y
productos sanitarios

DEPARTAMENTO DE
MEDICAMENTOS
VETERINARIOS

Agencia Española de Medicamentos y Productos Sanitarios

C/Campezo 1, Edificio 8
28022 – Madrid
España
(Reference Member State)

DECENTRALISED PROCEDURE

PUBLICLY AVAILABLE ASSESSMENT REPORT FOR A VETERINARY MEDICINAL PRODUCT

Sedaquick 10mg/ml solution for injection for horses and cattle

CORREO ELECTRÓNICO

mresvet@aemps.es

HH_PAR_EN_001_001.docx

F-DMV-25-02

C/ CAMPEZO, 1 – EDIFICIO 8
28022 MADRID
TEL: 91 822 54 01
FAX: 91 822 5443

MODULE 1

PRODUCT SUMMARY

EU Procedure number	ES/V/0234/001/DC
Name, strength and pharmaceutical form	Sedaquick 10mg/ml solution for injection for horses and cattle
Applicant	FATRO S.p.A
Active substance(s)	Detomidine hydrochloride
ATC Vet code	QN05CM90
Target species	Horses and cattle
Indication for use	<p>- A sedative with analgesic properties used to facilitate handling of horses and cattle for examination, minor surgical interventions and other manipulations.</p> <p>The product is also indicated for use prior to the administration of injectable or gaseous anaesthetics to carry out surgical procedures of short duration.</p>



MODULE 2

The Summary of Product Characteristics (SPC) for this product is available on the Heads of Medicines Agencies website (<http://www.hma.eu>).

MODULE 3

PUBLIC ASSESSMENT REPORT

Legal basis of original application	Decentralised application in accordance with Article 13(1) of Directive 2001/82/EC as amended.
Date of completion of the original decentralised procedure	27/1/2016
Date product first authorised in the Reference Member State (MRP only)	----
Concerned Member States for original procedure	IT, PT.

I. SCIENTIFIC OVERVIEW

The product is produced and controlled using validated methods and tests, which ensure the consistency of the product released on the market.

It has been shown that the product can be safely used in the target species; the slight reactions observed are indicated in the SPC.

The product is safe for the user, the consumer of foodstuffs from treated animals and for the environment, when used as recommended. Suitable warnings and precautions are indicated in the SPC.

The efficacy of the product was demonstrated according to the claims made in the SPC.

The overall risk/benefit analysis is in favour of granting a marketing authorisation.

II. QUALITY ASPECTS

A. *Composition*

The product contains 10 mg of Detomidine hydrochloride as active substance, methyl parahydroxybenzoate (E 218) as preservative agent and sodium chloride and water for injection as other excipients.

The container/closure system is a Type I clear glass vial with a bromobutyl rubber stopper sealed with an aluminium cap with plastic flip-off. The particulars of the containers and controls performed are provided and conform to the regulation.

The choice of the formulation and presence of preservative are justified.

The product is an established pharmaceutical form and its development is adequately described in accordance with the relevant European guidelines.

B. *Method of Preparation of the Product*

The product is manufactured fully in accordance with the principles of good manufacturing practice from a licensed manufacturing site.

Process validation data on the product have been presented in accordance with the relevant European guidelines.

C. *Control of Starting Materials*

The active substance is detomidine hydrochloride, an established active substance described in the European Pharmacopoeia. The active substance is manufactured in accordance with the principles of good manufacturing practice.

The active substance specification is considered adequate to control the quality of the material. Batch analytical data demonstrating compliance with this specification have been provided.

The active substance manufacturer use the ASMF procedure to provide the information related to detomidine hydrochloride.

D. *Specific Measures concerning the Prevention of the Transmission of Animal Spongiform Encephalopathies*

There are no substances within the scope of the TSE Guideline present or used in the manufacture of this product.

E. *Control on intermediate products*

Not applicable.



F. Control Tests on the Finished Product

The finished product specification controls the relevant parameters for the pharmaceutical form. The tests in the specification, and their limits, have been justified and are considered appropriate to adequately control the quality of the product.

Satisfactory validation data for the analytical methods have been provided.

Batch analytical data from the proposed production site have been provided demonstrating compliance with the specification.

G. Stability

Stability data on the active substance have been provided in accordance with applicable European guidelines, demonstrating the stability of the active substance when stored under the approved conditions.

Stability data on the finished product have been provided in accordance with applicable European guidelines, demonstrating the stability of the product throughout its shelf life when stored under the approved conditions.

The claim of a 28 days stability after broaching is based on the demonstration of stability for a batch broached and stored 28 days at the storage conditions.

H. Genetically Modified Organisms

Not applicable.

J. Other Information

None.



III. SAFETY AND RESIDUES ASSESSMENT

As this is a generic application according to Article 13, and bioequivalence with a reference product has been demonstrated, results of pharmacological or toxicological tests are not required.

Warnings and precautions as listed on the product literature are similar to those of the reference product and are adequate to ensure safety of the product to users, the environment and consumers.

III.A Safety Testing

Pharmacological Studies

As this is a generic application according to Article 13, and bioequivalence with a reference product has been demonstrated, the results of pharmacological studies are not required.

Toxicological Studies

As this is a generic application according to Article 13, and bioequivalence with a reference product has been demonstrated, the results of toxicological studies are not required.

User Safety

The applicant has not provided a user risk assessment. Sedaquick 10 mg/ml solution for injection for horses and cattle will be used in the same species, at the same doses and treatment regimen, and has the same qualitative and quantitative composition as the reference product. For these reasons, the risk for the user can be considered identical for both products.

Warnings and precautions as listed on the product literature are adequate to ensure safety to users of the product.

Ecotoxicity

The applicant provided a first phase environmental risk assessment in compliance with the relevant guideline which showed that no further assessment is required. The assessment concluded that the ERA can stop in question 5 of Phase I, since the product will be used only for treatment of a small number of animals.

Warnings and precautions as listed on the product literature are adequate to ensure safety to the environment when the product is used as directed.

III.B Residues documentation



Residue Studies

As this is a generic application according to Article 13, and bioequivalence with a reference product has been demonstrated, no residue depletion studies are required.

MRLs

Detomidine hydrochloride, the active substance, is included in table 1 of Commission Regulation N° 37/2010, with no MRL required status.

The excipients of the product (methyl parahydroxybenzoate and sodium chloride) are also included in table 1 of Commission Regulation N° 37/2010 with a no MRL required.

Withdrawal Periods

As this is a generic application according to Article 13, and bioequivalence with a reference product has been demonstrated, the same withdrawal periods for horse meat and cattle meat and milk are justified.

Regarding withdrawal periods in mare milk, according to the “Guideline on safety and residue data requirements for veterinary medicinal products intended for minor uses or minor species”, a safety factor is not required for extrapolation of withdrawal periods for identical products which do not have a potential to leave local residues. Moreover, pharmacokinetics of detomidine show a very low excretion in cow milk, and similar profiles between equine and bovine species. Therefore, a withdrawal period of 12 hours can be extrapolated from cows to mares.

Withdrawal periods for Sedaquick 10 mg/ml solution for injection for horses and cattle will be the following:

- Horses: Meat and offal: 2 days
Milk: 12 hours
- Cattle: Meat and offal: 2 days
Milk: 12 hours



IV. CLINICAL ASSESSMENT (EFFICACY)

As this is a generic application according to Article 13, and bioequivalence with a reference product has been demonstrated, efficacy studies are not required. The efficacy claims for this product are equivalent to those of the reference product.



V . OVERALL CONCLUSION AND BENEFIT– RISK ASSESSMENT

The data submitted in the dossier demonstrate that when the product is used in accordance with the Summary of Product Characteristics, the risk benefit profile for the target species is favourable and the quality and safety of the product for humans and the environment is acceptable.



MODULE 4

POST-AUTHORISATION ASSESSMENTS

The SPC and package leaflet may be updated to include new information on the quality, safety and efficacy of the veterinary medicinal product. The current SPC is available on the veterinary Heads of Agencies website (www.hma.eu).

This section contains information on significant changes which have been made after the original procedure which are important for the quality, safety or efficacy of the product.

None