

QUINOTRYL 50 MG/ML SOLUTION INJECTABLE POUR BOVINS ET PORCINS

Authorised

- Enrofloxacin

Product identification

Medicine name:

QUINOTRYL 50 MG/ML SOLUTION INJECTABLE POUR BOVINS ET PORCINS

Active substance:

Enrofloxacin

Target species:

Pig

Cattle (calf)

Route of administration:

Intramuscular use

Subcutaneous use

Intravenous use

Product details

Active substance and strength:

Enrofloxacin

50.00 milligram(s) / 1.00 millilitre(s)

Pharmaceutical form:

Solution for injection

Withdrawal period by route of administration:

Intramuscular use:

-

Pig

- Meat and offal. 13 day

Subcutaneous use:

-

Cattle (calf)

- Meat and offal. 12 day
- Milk. no withdrawal period

Ne pas utiliser chez les animaux producteurs de lait destiné à la consommation humaine.

Intravenous use:

-

Cattle (calf)

- Meat and offal. 5 day
- Milk. no withdrawal period

Ne pas utiliser chez les animaux producteurs de lait destiné à la consommation humaine.

Anatomical therapeutic chemical veterinary (ATCvet) codes:

QJ01MA90

Legal status of supply:

Veterinary medicinal product subject to veterinary prescription

Authorisation status:

Valid

Authorised in:

France

Package description:

Available only in [French](#)

Available only in [French](#)

Additional information

Entitlement type:

Marketing Authorisation

Legal basis of product authorisation:

Generic application (Article 13(1) of Directive No 2001/82/EC)

Marketing authorisation holder:

KRKA tovarna zdravil d.d. Novo mesto

Marketing authorisation date:

12/07/2012

Manufacturing sites for batch release:

KRKA tovarna zdravil d.d. Novo mesto

Responsible authority:

French Agency For Food, Environmental And Occupational Health & Safety

Authorisation number:

FR/V/2200507 0/2012

Date of authorisation status change:

22/12/2021

To consult adverse reactions on veterinary medicinal products please go to www.adrreports.eu/vet

Documents

Summary of Product Characteristics

This document does not exist in this language (English). You can find it in another language below.