

Cazitel Plus XL Tablets For Dogs

Authorised

- Praziquantel
- Pyrantel embonate
- Febantel

Product identification

Medicine name:

Cazitel Plus XL Tablets For Dogs

Canitel Plus compresse per cani di taglia grande

Active substance:

Praziquantel

Pyrantel embonate

Febantel

Target species:

Dog

Route of administration:

Oral use

Product details

Active substance and strength:

Praziquantel

175.00 milligram(s) / 1.00 Tablet

Pyrantel embonate
504.00 milligram(s) / 1.00 Tablet
Febantel
525.00 milligram(s) / 1.00 Tablet

Pharmaceutical form:

Tablet

Anatomical therapeutic chemical veterinary (ATCvet) codes:

QP52AA51

Legal status of supply:

Veterinary medicinal product not subject to veterinary prescription

Authorisation status:

Valid

Authorised in:

Italy

Package description:

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 2 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 4 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 5 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 6 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 8 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 10 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 12 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 14 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 16 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 18 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 20 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 24 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 28 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 30 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 32 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 36 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 40 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 42 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 44 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 48 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 50 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 52 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 56 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 60 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 64 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 68 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 70 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 72 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 76 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 80 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 84 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 88 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 92 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 96 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 98 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 100 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 104 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 106 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 108 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 112 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 116 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 120 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 140 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 150 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 180 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 200 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 204 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 206 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 208 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 250 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 280 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 300 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 500 tablets.

The product is presented in: Blister packs made up of PVC/PE/PCTFE with 20µ hard tempered aluminium foil with 2, 4, 5, 6, 8, 10, 12, 14, 16, 18 or 20 tablets per blister. The Blisters are packed into cartons containing 1000 tablets.

Additional information

Entitlement type:

Marketing Authorisation

Legal basis of product authorisation:

Hybrid application (Article 13(3) of Directive No 2001/82/EC)

Marketing authorisation holder:

Chanelle Pharmaceuticals Manufacturing Limited

Marketing authorisation date:

14/02/2011

Manufacturing sites for batch release:

Chanelle Pharmaceuticals Manufacturing Limited

Responsible authority:

Ministry Of Health

Authorisation number:

104189

Date of authorisation status change:

14/02/2011

Reference member state:

Ireland

Procedure number:

IE/V/0243/002

Concerned member states:

Austria Belgium Bulgaria Cyprus Czechia Estonia Finland France Germany
Greece Hungary Italy Latvia Lithuania Luxembourg Netherlands Poland
Portugal Romania Slovakia Slovenia Spain Sweden
United Kingdom (Northern Ireland)

To consult adverse reactions on veterinary medicinal products please go to www.adrreports.eu/vet

Documents

Summary of Product Characteristics

Combined File of all Documents

This document does not exist in this language (English). You can find it in another language below.