

# Prazitel 230/20 mg Flavoured Film-Coated Tablets for Cats

Authorised

- Praziquantel
- Pyrantel embonate

## Product identification

**Medicine name:**

Prazitel 230/20 mg Flavoured Film-Coated Tablets for Cats

---

**Active substance:**

Praziquantel

Pyrantel embonate

---

**Target species:**

Cat

---

**Route of administration:**

Oral use

---

## Product details

**Active substance and strength:**

Praziquantel

20.00 milligram(s) / 1.00 Tablet

Pyrantel embonate

230.00 milligram(s) / 1.00 Tablet

---

**Pharmaceutical form:**

Film-coated tablet

---

**Anatomical therapeutic chemical veterinary (ATCvet) codes:**

QP52AA51

---

**Legal status of supply:**

Veterinary medicinal product subject to veterinary prescription

---

**Authorisation status:**

Valid

---

**Authorised in:**

Germany

---

**Package description:**

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 2 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 4 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 6 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 8 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 10 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 12 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 14 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 16 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 18 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 20 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 24 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or

20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 28 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 30 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 32 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 36 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 40 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 42 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 44 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8

tablets. The blisters are packed into cartons containing 48 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 50 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 52 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 56 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 60 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 64 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 68 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 70 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 72 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 76 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 80 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 84 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 88 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 92 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 96 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or

20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 98 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 100 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 104 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 106 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 108 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 112 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 116 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8

tablets. The blisters are packed into cartons containing 120 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 128 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 136 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 140 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 144 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 150 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 152 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 160 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 168 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 176 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 180 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 184 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 192 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 200 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 204 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or

20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 206 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 208 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 216 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 224 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 232 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 240 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 248 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8

tablets. The blisters are packed into cartons containing 250 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 280 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 300 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 500 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 1000 tablets.

---

## Additional information

### **Entitlement type:**

Marketing Authorisation

---

### **Legal basis of product authorisation:**

Hybrid application (Article 13(3) of Directive No 2001/82/EC)

---

### **Marketing authorisation holder:**

Chanelle Pharmaceuticals Manufacturing Limited

---

### **Marketing authorisation date:**

2/05/2014

---

### **Manufacturing sites for batch release:**

Chanelle Pharmaceuticals Manufacturing Limited

---

**Responsible authority:**

Federal Office Of Consumer Protection And Food Safety

---

**Authorisation number:**

402030.00.00

---

**Date of authorisation status change:**

24/04/2019

---

**Reference member state:**

Ireland

---

**Procedure number:**

IE/V/0329/001

---

**Concerned member states:**

Bulgaria Croatia Estonia Finland France Germany Greece Hungary Iceland  
Italy Latvia Lithuania Netherlands Poland Portugal Slovenia Spain  
United Kingdom (Northern Ireland)

---

To consult adverse reactions on veterinary medicinal products please go to  
[www.adrreports.eu/vet](http://www.adrreports.eu/vet)

## Documents

Combined File of all Documents

This document does not exist in this language (English). You can find it in another language below.