File downloaded on 2026-11-24
Source URL: https://medicines.health.europa.eu/veterinary/en/600000050367

Cazitel 230/20 mg Flavoured Film-Coated Tablets for Cats

Authorised

- Pyrantel embonate
- Praziquantel

Product identification

Medicine name:
Cazitel 230/20 mg Flavoured Film-Coated Tablets for Cats

Active substance:
Pyrantel embonate

Praziquantel

Target species:
Cat

Route of administration:
Oral use

Product details

Active substance and strength:
Pyrantel embonate
230.00 milligram(s) / 1.00 Tablet

Praziquantel

20.00 milligram(s) / 1.00 Tablet

Pharmaceutical form:
Film-coated tablet

Anatomical therapeutic chemical veterinary (ATCvet) codes:
QP52AA51

Legal status of supply:
Veterinary medicinal product subject to veterinary prescription

Authorisation status:
Valid

Authorised in:
Germany

Package description:
Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20µm heatseallacquer/aluminium containing 2 tablets.
Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20µm heatseallacquer/aluminium containing 4 tablets.
Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20µm heatseallacquer/aluminium containing 6 tablets.
Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20µm heatseallacquer/aluminium containing 8 tablets.
Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20µm heatseallacquer/aluminium containing 10 tablets.
Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20µm heatseallacquer/aluminium containing 12 tablets.
Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20µm heatseallacquer/aluminium containing 14 tablets.
Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20µm heatseallacquer/aluminium containing 16 tablets.
Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20µm heatseallacquer/aluminium containing 18 tablets.
Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20µm heatseallacquer/aluminium containing 20 tablets.

Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 2 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 4 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 6 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 8 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 10 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 12 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 14 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 16 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 18 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 20 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 24 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 28 tablets

Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 30 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 32 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 36 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 40 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 42 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 44 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 48 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 50 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 52 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 56 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 60 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 64 tablets

Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 68 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 70 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 72 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 76 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 80 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 84 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 88 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 92 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 96 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 98 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 100 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 104 tablets

Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 106 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 108 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 112 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 116 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 120 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 128 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 136 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 140 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 144 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 150 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 152 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 160 tablets

Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 168 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 176 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 180 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 184 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 192 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 200 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 204 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 206 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 208 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 216 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 224 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 232 tablets

Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 240 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 248 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 250 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 280 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 300 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 2 tablets. The blisters are packed into cartons containing : 500 tablets
Individual blisters made up of 45µm PVC/aluminium/orientated polyamide and a 20µm heatseal lacquer/aluminium containing 8 tablets. The blisters are packed into cartons containing : 1000 tablets

Additional information

Entitlement type:
Marketing Authorisation

Legal basis of product authorisation:
Hybrid application (Article 13(3) of Directive No 2001/82/EC)

Marketing authorisation holder:
Chanelle Pharmaceuticals Manufacturing Limited

Marketing authorisation date:
4/03/2014

Manufacturing sites for batch release:
Chanelle Pharmaceuticals Manufacturing Limited

Responsible authority:
Federal Office Of Consumer Protection And Food Safety

Authorisation number:
402032.00.00

Date of authorisation status change:
12/04/2019

Reference member state:
Ireland

Procedure number:
IE/V/0331/001

Concerned member states:
Austria Belgium Bulgaria Croatia Cyprus Czechia Finland France Germany Greece Hungary Luxembourg Netherlands Portugal Romania Slovakia Slovenia Spain United Kingdom (Northern Ireland)

To consult adverse reactions on veterinary medicinal products please go to www.adrreports.eu/vet

Documents

Combined File of all Documents

This document does not exist in this language (English). You can find it in another language below.

ie-puar-mr-iev0331001-cazitel-23020-mg-flavoured-film-coated-tablets-for-en.pdf