

Prazitel 230/20 mg Flavoured Film-coated Tablets for Cats

Authorised

- Praziquantel
- Pyrantel embonate

Product identification

Medicine name:

Prazitel 230/20 mg Flavoured Film-coated Tablets for Cats

Active substance:

Praziquantel
Pyrantel embonate

Target species:

Cat

Route of administration:

Oral use

Product details

Active substance and strength:

Praziquantel
20.00 milligram(s) / 1.00 Tablet
Pyrantel embonate

230.00 milligram(s) / 1.00 Tablet

Pharmaceutical form:

Film-coated tablet

Anatomical therapeutic chemical veterinary (ATCvet) codes:

QP52AA51

Legal status of supply:

Veterinary medicinal product not subject to veterinary prescription

Authorisation status:

Valid

Authorised in:

United Kingdom (Northern Ireland)

Package description:

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 2 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 4 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 6 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 8 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 10 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 12 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 14 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 16 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 18 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 20 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 24 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or

20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 28 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 30 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 32 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 36 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 40 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 42 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 44 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8

tablets. The blisters are packed into cartons containing 48 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 50 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 52 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 56 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 60 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 64 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 68 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 70 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 72 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 76 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 80 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 84 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 88 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 92 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 96 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or

20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 98 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 100 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 104 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 106 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 108 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 112 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 116 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8

tablets. The blisters are packed into cartons containing 120 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 128 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 136 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 140 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 144 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 150 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 152 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 160 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 168 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 176 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 180 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 184 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 192 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 200 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 204 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or

20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 206 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 208 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 216 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 224 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 232 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 240 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets.The blisters are packed into cartons containing 248 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.orIndividual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8

tablets. The blisters are packed into cartons containing 250 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 280 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 300 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 500 tablets.

Individual blisters made up of a PVC/PE/PCTFE white opaque copolymer and a 20micrometer heatseal lacquer/aluminium containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters made up of 45micrometer PVC/aluminium/orientated polyamide and a 20micrometer heatseal lacquer/aluminium containing 2 or 8 tablets. The blisters are packed into cartons containing 1000 tablets.

Additional information

Entitlement type:

Marketing Authorisation

Legal basis of product authorisation:

Hybrid application (Article 13(3) of Directive No 2001/82/EC)

Marketing authorisation holder:

Chanelle Pharmaceuticals Manufacturing Limited

Marketing authorisation date:

25/02/2014

Manufacturing sites for batch release:

Chanelle Pharmaceuticals Manufacturing Limited

Responsible authority:

The Veterinary Medicines Directorate

Authorisation number:

Vm 08749/3018

Date of authorisation status change:

23/11/2024

Reference member state:

Ireland

Procedure number:

IE/V/0329/001

Concerned member states:

Bulgaria Croatia Estonia Finland France Germany Greece Hungary Iceland
Italy Latvia Lithuania Netherlands Poland Portugal Slovenia Spain
United Kingdom (Northern Ireland)

To consult adverse reactions on veterinary medicinal products please go to
www.adrreports.eu/vet

Documents

Summary of Product Characteristics