

# Cazitel Plus Tablets for Dogs

Authorised

- Praziquantel
- Febantel
- Pyrantel embonate

## Product identification

**Medicine name:**

Cazitel Plus Tablets for Dogs

---

**Active substance:**

Praziquantel  
Febantel  
Pyrantel embonate

---

**Target species:**

Dog

---

**Route of administration:**

Oral use

---

## Product details

**Active substance and strength:**

Praziquantel  
50.00 milligram(s) / 1.00 Tablet  
Febantel

150.00 milligram(s) / 1.00 Tablet

Pyrantel embonate

144.00 milligram(s) / 1.00 Tablet

---

**Pharmaceutical form:**

Tablet

---

**Anatomical therapeutic chemical veterinary (ATCvet) codes:**

QP52AA51

---

**Legal status of supply:**

Veterinary medicinal product subject to veterinary prescription

---

**Authorisation status:**

Valid

---

**Authorised in:**

Hungary

---

**Package description:**

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2 tablets. The strips are packed into cartons containing 2 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 4 tablets. The strips are packed into cartons containing 4 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 6 tablets. The strips are packed into cartons containing 6 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 8 tablets. The strips are packed into cartons containing 8 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 10 tablets. The strips are packed into cartons containing 10 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 12 tablets. The strips are packed into cartons containing 12 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 14 tablets. The strips are packed into cartons containing 14 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 16 tablets. The strips are packed into cartons containing 16 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 18 tablets. The strips are packed into cartons containing 18 tablets



Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 14 tablets. The strips are packed into cartons containing 98 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 20 tablets. The strips are packed into cartons containing 100 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 8 tablets. The strips are packed into cartons containing 104 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2 tablets. The strips are packed into cartons containing 106 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 20 tablets. The strips are packed into cartons containing 120 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 20 tablets. The strips are packed into cartons containing 140 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 10 tablets. The strips are packed into cartons containing 150 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 20 tablets. The strips are packed into cartons containing 180 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 20 tablets. The strips are packed into cartons containing 200 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 12 tablets. The strips are packed into cartons containing 204 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2 tablets. The strips are packed into cartons containing 206 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 10 tablets. The strips are packed into cartons containing 250 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 20 tablets. The strips are packed into cartons containing 280 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 20 tablets. The strips are packed into cartons containing 300 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 20 tablets. The strips are packed into cartons containing 500 tablets

Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 20 tablets. The strips are packed into cartons containing 1000 tablets

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 1000 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons

containing 500 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 300 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 280 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 250 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 206 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 204 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 200 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 18 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 180 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 150 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 140 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 120 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 106 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 104 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 100 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 98 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 90 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 84 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 80 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 70 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 60 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 56 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 52 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 50 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 48 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 44 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 42 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 40 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 36 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 32 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 30 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 28 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 24 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 20 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 16 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 14 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 12 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 10 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 8 tablets. The blisters are packed into cartons containing 8 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 6 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 4 tablets.

Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 tablets. The blisters are packed into cartons containing 2 tablets.

---

## Additional information

**Entitlement type:**

Marketing Authorisation

---

**Legal basis of product authorisation:**

Hybrid application (Article 10(3) of Directive No 2001/83/EC)

---

**Marketing authorisation holder:**

Chanelle Pharmaceuticals Manufacturing Limited

---

**Marketing authorisation date:**

17/12/2009

---

**Manufacturing sites for batch release:**

Chanelle Pharmaceuticals Manufacturing Limited

---

**Responsible authority:**

Directorate Of Veterinary Medicinal Products

---

**Authorisation number:**

2655/X/09 MgSzH ÁTI

---

**Date of authorisation status change:**

17/12/2009

---

**Reference member state:**

Ireland

---

**Procedure number:**

IE/V/0243/001

---

**Concerned member states:**

Austria Bulgaria Cyprus Estonia Finland France Germany Greece Hungary  
Italy Latvia Lithuania Luxembourg Netherlands Poland Portugal Romania  
Slovakia Slovenia Spain Sweden United Kingdom (Northern Ireland)

---

To consult adverse reactions on veterinary medicinal products please go to  
[www.adrreports.eu/vet](http://www.adrreports.eu/vet)

## Documents

Summary of Product Characteristics

Combined File of all Documents

ie-puar-mr-iev0243001-cazitel-plus-tablets-for-dogs-en.pdf