

Exitel Plus Tablets for Dogs

Authorised

- Praziquantel
- Pyrantel embonate
- Febantel

Product identification

Medicine name:

Exitel Plus Tablets for Dogs

Active substance:

Praziquantel

Pyrantel embonate

Febantel

Target species:

Dog

Route of administration:

Oral use

Product details

Active substance and strength:

Praziquantel

50.00 milligram(s) / 1.00 Tablet

Pyrantel embonate

144.00 milligram(s) / 1.00 Tablet

Febantel

150.00 milligram(s) / 1.00 Tablet

Pharmaceutical form:

Tablet

Anatomical therapeutic chemical veterinary (ATCvet) codes:

QP52AA51

Legal status of supply:

Veterinary medicinal product not subject to veterinary prescription

Authorisation status:

Valid

Authorised in:

Ireland

Package description:

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 2 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 4 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 6 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are

packed into cartons containing 8 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 10 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 12 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 14 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 16 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 18 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 20 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 24 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 28 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 30 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 32 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 36 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 40 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 42 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 44 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20

tablets.or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets.The strips or blisters are packed into cartons containing 48 tablets.

The product is presented in either:Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets.The strips or blisters are packed into cartons containing 50 tablets.

The product is presented in either:Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets.The strips or blisters are packed into cartons containing 52 tablets.

The product is presented in either:Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets.The strips or blisters are packed into cartons containing 56 tablets.

The product is presented in either:Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets.The strips or blisters are packed into cartons containing 60 tablets.

The product is presented in either:Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets.The strips or blisters are packed into cartons containing 70 tablets.

The product is presented in either:Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets.The strips or blisters are packed into cartons containing 80 tablets.

The product is presented in either:Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets.The strips or blisters are

packed into cartons containing 84 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 90 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 98 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 100 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 104 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 106 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 120 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 140 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 150 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 180 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 200 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 204 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 206 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 250 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets. or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets. The strips or blisters are packed into cartons containing 280 tablets.

The product is presented in either: Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20

tablets.or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets.The strips or blisters are packed into cartons containing 300 tablets.

The product is presented in either:Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets.The strips or blisters are packed into cartons containing 500 tablets.

The product is presented in either:Individual strips composed of aluminium foil 30 µm/30 gsm extruded polythene, containing 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20 tablets.or Individual blisters composed of 45 µm, soft temper aluminium foil and 25 µm hard temper aluminium foil, containing 2 or 8 tablets.The strips or blisters are packed into cartons containing 1000 tablets.

Additional information

Entitlement type:

Marketing Authorisation

Legal basis of product authorisation:

Hybrid application (Article 10(3) of Directive No 2001/83/EC)

Marketing authorisation holder:

Chanelle Pharmaceuticals Manufacturing Limited

Marketing authorisation date:

20/03/2009

Manufacturing sites for batch release:

Chanelle Pharmaceuticals Manufacturing Limited

Responsible authority:

Health Products Regulatory Authority

Authorisation number:

VPA10987/078/001

Date of authorisation status change:

20/03/2009

Reference member state:

Ireland

Procedure number:

IE/V/0242/001

Concerned member states:

Austria Belgium Cyprus Czechia Denmark Estonia Finland France Germany
Greece Hungary Iceland Italy Latvia Lithuania Luxembourg Netherlands
Norway Portugal Romania Slovakia Slovenia Spain Sweden
United Kingdom (Northern Ireland)

To consult adverse reactions on veterinary medicinal products please go to
www.adrreports.eu/vet

Documents

Summary of Product Characteristics

Combined File of all Documents

English (PDF)

Published on: 14/03/2026

[Download](#)