

Nafpenzal 3D, suspensie voor intramammair gebruik voor runderen

Authorised

- Benzylpenicillin procaine
- Dihydrostreptomycin
- Nafcillin

Product identification

Medicine name:

Nafpenzal 3D, suspensie voor intramammair gebruik voor runderen

Active substance:

Benzylpenicillin procaine

Dihydrostreptomycin

Nafcillin

Target species:

Cattle

Route of administration:

Intramammary use

Product details

Active substance and strength:

Benzylpenicillin procaine
300.00 milligram(s) / 1.00 Syringe
Dihydrostreptomycin
100.00 milligram(s) / 1.00 Syringe
Nafcillin
100.00 milligram(s) / 1.00 Syringe

Pharmaceutical form:

Intramammary suspension

Withdrawal period by route of administration:

Intramammary use:

-

Cattle

- Meat and offal. 15 day
- Milk. 48 day 48 na toediening bij een droogstand korter dan 46 dagen.
- Milk. 2 day

2 dagen na afkalven bij een droogstand gelijk aan of langer dan 46 dagen.

Anatomical therapeutic chemical veterinary (ATCvet) codes:

QJ51RC23

Legal status of supply:

Veterinary medicinal product subject to veterinary prescription

Authorisation status:

Valid

Authorised in:

Netherlands

Package description:

Available only in Dutch

Available only in Dutch

Additional information

Entitlement type:

Marketing Authorisation

Legal basis of product authorisation:

Legal basis not covered by Directive 2001/82/EC

Marketing authorisation holder:

Intervet Nederland B.V.

Marketing authorisation date:

12/05/2006

Manufacturing sites for batch release:

Intervet International B.V.

Responsible authority:

Medicines Evaluation Board

Authorisation number:

REG NL 9705

Date of authorisation status change:

11/02/2016

To consult adverse reactions on veterinary medicinal products please go to
www.adrreports.eu/vet

Documents

Combined File of all Documents

This document does not exist in this language (English). You can find it in another language below.