

Toxicol Vet. injektionsvæske, suspension

Authorised

- Escherichia coli, fimbrial adhesin F4ab
- Escherichia coli, fimbrial adhesin F6
- Clostridium perfringens, type B and C, beta toxoid
- Escherichia coli, fimbrial adhesin F6
- Escherichia coli, fimbrial adhesin F4ac
- Clostridium perfringens, type B and C, beta toxoid
- Escherichia coli, fimbrial adhesin F4ac
- Escherichia coli, fimbrial adhesin F5
- Escherichia coli, fimbrial adhesin F5
- Clostridium perfringens, type D, epsilon toxoid
- Clostridium perfringens, type D, epsilon toxoid
- Escherichia coli, fimbrial adhesin F4ab

Product identification

Medicine name:

Toxicol Vet. injektionsvæske, suspension

Toxicol Vet. injektionsvæske, suspension

Active substance:

Escherichia coli, fimbrial adhesin F4ab

Escherichia coli, fimbrial adhesin F6

Clostridium perfringens, type B and C, beta toxoid

Escherichia coli, fimbrial adhesin F6

Escherichia coli, fimbrial adhesin F4ac
Clostridium perfringens, type B and C, beta toxoid
Escherichia coli, fimbrial adhesin F4ac
Escherichia coli, fimbrial adhesin F5
Escherichia coli, fimbrial adhesin F5
Clostridium perfringens, type D, epsilon toxoid
Clostridium perfringens, type D, epsilon toxoid
Escherichia coli, fimbrial adhesin F4ab

Target species:

Pig

Route of administration:

Subcutaneous use

Product details

Active substance and strength:

Escherichia coli, fimbrial adhesin F4ab
14.60 unit(s) / 1.00 Dose
Escherichia coli, fimbrial adhesin F6
13.10 unit(s) / 1.00 Dose
Clostridium perfringens, type B and C, beta toxoid
350.00 unit(s) / 1.00 Dose
Escherichia coli, fimbrial adhesin F6
13.10 unit(s) / 1.00 Dose
Escherichia coli, fimbrial adhesin F4ac
15.50 unit(s) / 1.00 Dose
Clostridium perfringens, type B and C, beta toxoid
350.00 unit(s) / 1.00 Dose
Escherichia coli, fimbrial adhesin F4ac
15.50 unit(s) / 1.00 Dose
Escherichia coli, fimbrial adhesin F5
12.20 unit(s) / 1.00 Dose

Escherichia coli, fimbrial adhesin F5

12.20 unit(s) / 1.00 Dose

Clostridium perfringens, type D, epsilon toxoid

300.00 unit(s) / 1.00 Dose

Clostridium perfringens, type D, epsilon toxoid

300.00 unit(s) / 1.00 Dose

Escherichia coli, fimbrial adhesin F4ab

14.60 unit(s) / 1.00 Dose

Pharmaceutical form:

Suspension for injection

Withdrawal period by route of administration:

Subcutaneous use:

-

Pig

- Meat and offal. 0 day
 - Meat and offal. 0 day
 - Meat and offal. 0 day
 - Meat and offal. 0 day
 - Meat and offal. 0 day
 - Meat and offal. 0 day
 - Meat and offal. 0 day
 - Meat and offal. 0 day
 - Meat and offal. 0 day
 - Meat and offal. 0 day
 - Meat and offal. 0 day
 - Meat and offal. 0 day
 - Meat and offal. 0 day
-

Anatomical therapeutic chemical veterinary (ATCvet) codes:

QI09AB08

Legal status of supply:

Veterinary medicinal product subject to veterinary prescription

Authorisation status:

Valid

Authorised in:

Denmark

Available in:

Denmark

Package description:

Available only in Danish

Available only in Danish

Additional information

Entitlement type:

Marketing Authorisation

Legal basis of product authorisation:

Legal basis reviewed according to Acquis communautaire

Marketing authorisation holder:

Zoetis Animal Health ApS

Marketing authorisation date:

4/11/1980

Manufacturing sites for batch release:

Zoetis Belgium

Burgwedel Biotech GmbH

Responsible authority:

Danish Medicines Agency

Authorisation number:

10330

Date of authorisation status change:

4/11/1980

To consult adverse reactions on veterinary medicinal products please go to www.adrreports.eu/vet

Documents

Summary of Product Characteristics

This document does not exist in this language (English). You can find it in another language below.