

## **A. LABELLING**

**PARTICULARS TO APPEAR ON THE OUTER PACKAGE**

**Cardboard box 3x10 g / 5x10 g / 20x10 g / 40x10 g / 100x10 g**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Ubropen 600 mg intramammary suspension for lactating cows (AT, BE, DE, ES, IE, IT, NL, PL, UK)  
Ubropen intramammary suspension for lactating cows (FR)  
Caremast vet 600 mg intramammary suspension for lactating cows (, EE, LT, LV)  
Carepen vet 600 mg intramammary suspension for lactating cows (FI, DK, IS, NO, SE)  
Benzylpenicillin procaine monohydrate

**2. STATEMENT OF ACTIVE SUBSTANCES**

Each 10 g intramammary syringe contains:  
Benzylpenicillin procaine monohydrate 600 mg  
(equivalent to 340.8 mg benzylpenicillin)

**3. PHARMACEUTICAL FORM**

Intramammary suspension

**4. PACKAGE SIZE**

3 x 10 g with 3 cleaning towels  
5 x 10 g with 5 cleaning towels  
20 x 10 g with 20 cleaning towels  
40 x 10 g with 40 cleaning towels  
100 x 10 g with 100 cleaning towels

**5. TARGET SPECIES**

Cattle (lactating cow).

**6. INDICATION(S)**

-

**7. METHOD AND ROUTE OF ADMINISTRATION**

Intramammary use.  
Read the package leaflet before use.

**8. WITHDRAWAL PERIODS**

Withdrawal periods:

Milk: 6 days.  
Meat and offal: 3 days.

**9. SPECIAL WARNING(S), IF NECESSARY**

Penicillins and cephalosporins may occasionally cause severe allergic reactions.  
See package leaflet for full user warnings.

**10. EXPIRY DATE**

EXP {month/year}

**11. SPECIAL STORAGE CONDITIONS**

Store below 25 °C.

**12. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY**

Disposal: read package leaflet.

**13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE**

For animal treatment only. To be supplied only on veterinary prescription.

**14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”**

Keep out of the sight and reach of children.

**15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER**

Vetcare Oy  
P.O. Box 99  
24101 Salo  
Finland

**16. MARKETING AUTHORISATION NUMBER(S)**

**17. MANUFACTURER’S BATCH NUMBER**

Lot {number}

**MINIMUM PARTICULARS TO APPEAR ON SMALL IMMEDIATE PACKAGING UNITS**

**10 g syringe**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Ubropen 600 mg intramammary suspension for lactating cows (AT, BE, DE, ES, IE, IT, NL, PL, UK)  
Ubropen intramammary suspension for lactating cows (FR)  
Caremast vet 600 mg intramammary suspension for lactating cows (EE, LT, LV)  
Carepen vet 600 mg intramammary suspension for lactating cows (FI, DK, IS, NO, SE)

Benzylicillin procaine monohydrate

**2. QUANTITY OF THE ACTIVE SUBSTANCE**

Benzylicillin procaine monohydrate 600 mg per syringe

**3. CONTENTS BY WEIGHT, BY VOLUME OR BY NUMBER OF DOSES**

10 g

**4. ROUTE OF ADMINISTRATION**

Intramammary use.

**5. WITHDRAWAL PERIODS**

Withdrawal periods:  
Milk: 6 days.  
Meat and offal: 3 days.

**6. BATCH NUMBER**

Lot {number}

**7. EXPIRY DATE**

EXP {month/year}

**8. THE WORDS "FOR ANIMAL TREATMENT ONLY"**

For animal treatment only.