

Summary of Product Characteristics

1 NAME OF THE VETERINARY MEDICINAL PRODUCT

Ioguard Ready to Use Teat Dip

2 QUALITATIVE AND QUANTITATIVE COMPOSITION

Active Ingredient:

Iodine (available) 0.5 % w/v

For full list of excipients, see section 6.1.

3 PHARMACEUTICAL FORM

Teat dip/teat spray. A clear, dark brown, ready to use solution.

4 CLINICAL PARTICULARS

4.1 Target Species

Lactating dairy cows, sheep and goats.

4.2 Indications for use, specifying the target species

Ioguard Ready to Use Teat Dip, when applied as an undiluted teat dip or spray, is an aid to the prevention of mastitis in lactating dairy cows, sheep and goats.

4.3 Contraindications

None known.

4.4 Special warnings for each target species

If signs of disease persist or appear consult your veterinary practitioner.

4.5 Special precautions for use

Special precautions for use in animals

Wash teats with an udder wash solution and dry with a disposable paper towel.

Special precautions to be taken by the person administering the veterinary medicinal product to animals

Avoid contact with eyes. If splashed in the eye, rinse with clean running water and seek medical advice.

In case of ingestion seek medical attention immediately.

When used as a spray, avoid working in a spray mist.

Keep away from animal feed.

Wash hands after use.

4.6 Adverse reactions (frequency and seriousness)

None known.

4.7 Use during pregnancy, lactation or lay

loguard Ready to Use Teat Dip is suitable for use in pregnant and lactating cows, sheep and goats.

4.8 Interaction with other medicinal products and other forms of interactions

loguard Ready to Use Teat Dip is not used in conjunction with any other medication.

4.9 Amounts to be administered and administration route

loguard Ready to Use Teat Dip is a ready-to-use preparation.

Teat Dipping

Fill the dipping beakers two thirds (2/3) full and apply to the teats of the lactating cows, sheep and goats immediately after milking. The dipping beakers should be emptied after each milking and washed before reuse. Fresh loguard Ready to Use Dip should be used for each milking.

Teat Spraying

Immediately after the milking of cows, sheep and goats spray the entire surface of each teat.

4.10 Overdose (symptoms, emergency procedures, antidotes), if necessary

Not applicable.

4.11 Withdrawal period(s)

Edible tissues and milk: zero days.

5 PHARMACOLOGICAL or IMMUNOLOGICAL PROPERTIES

Therapeutic Group: Antiseptics and disinfectants

ATC vet code: QD08AG03

The post milking application of loguard Ready to Use Teat Dip to the teats of lactating cows, sheep and goats significantly reduces the number of mastitic causing organisms on the external surfaces of teats. loguard Ready to Use teat Dip is a bactericidal disinfectant which contains iodine as the active agent. Iodine has a unique elemental bactericidal effect under acidic conditions.

5.1 Pharmacodynamic properties

The post milking application of loguard Ready to Use Teat Dip to the outside of the teats of lactating cows, sheep and goats prevents the ingress of pathogenic organisms into the streak canal of the teat and thereby aids in the prevention of the spread of mastitis from infected quarters to non-infected quarters.

5.2 Pharmacokinetic particulars

The post milking application of loguard Ready to Used Teat Dip to the outside of the teat may give rise to loguard Ready to Use Teat Dip entering the streak canal. It is not distributed from the teat orifice to other parts of the body.

6 PHARMACEUTICAL PARTICULARS

6.1 List of excipients

Alcohol 6 mole ethoxylate

Alcohol 6 mole ethoxylate: 3 mole propoxylate copolymer

Lanolin

Cetyl alcohol ethoxylate

Glycerol

Ethylene oxide: propylene oxide block co polymer

Water, potable

6.2 Major incompatibilities

None known.

6.3 Shelf-life

Shelf life of the veterinary medicinal product as packaged for sale: 12 months.

6.4 Special precautions for storage

Do not store above 20 °C.
Protect from direct sunlight.

6.5 Nature and composition of immediate packaging

loguard is packed in:

1. 25 L and 45 L square/round high density polythene containers with screw cap (tamper evident) closures.
2. 200 L liquid teat dip in a cylindrical polyethylene container with combination bung.

6.6 Special precautions for the disposal of unused veterinary medicinal products or waste materials derived from the use of such products

Unused product or waste material should be disposed of in accordance with current practice for pharmaceutical waste under national waste disposal regulations.
Harmful to fish. Do not contaminate ponds or ditches with this product or used container.

7 MARKETING AUTHORISATION HOLDER

GEA Farm Technologies (UK) Ltd
Wylze Works, Watery Lane,
Bishopstrow
Warminster
Wiltshire
BA12 9HT
United Kingdom

8 MARKETING AUTHORISATION NUMBER(S)

VPA10844/003/001

9 DATE OF FIRST AUTHORISATION/RENEWAL OF THE AUTHORISATION

Date of first authorisation: 1st October 1991
Date of last renewal: 30th September 2006

10 DATE OF REVISION OF THE TEXT

August 2018