File downloaded on 2026-11-13
Source URL: https://medicines.health.europa.eu/veterinary/et/600000096933

Flortek 300 mg/ml solution for injection for cattle, sheep and pigs

Müügiloaga

- Florfenicol

Ravimi identifitseerimine

Ravimi nimetus:
Flortek 300 mg/ml solution for injection for cattle, sheep and pigs

Toimeaine:
Termini tõlkekeel(ed) English

Loomaliigid:
veis
lammas
siga

Manustamisviis:
Intramuskulaarne
Subkutaanne

Ravimiandmed

Toimeaine ja tugevus:
Termini tõlkekeel(ed) English

300.00 milligram(s) / 1.00 millilitre(s)

Ravimvorm:
Süstelahus

Keeluaeg vastavalt manustamisviisile:
Intramuskulaarne:

- **veis**
  - liha ja söödavad koed. no withdrawal period

IM use: 30 days. SC use: 44 days.

  - piim. no withdrawal period

Milk: Not authorised for use in animals producing milk for human consumption including pregnant animals intended to produce milk for human consumption.

- **lammas**
  - liha ja söödavad koed. 39 day
  - piim. no withdrawal period

Milk: Not authorised for use in animals producing milk for human consumption including pregnant animals intended to produce milk for human consumption

- **siga**
  - liha ja söödavad koed. 18 day

- **veis**
  - liha ja söödavad koed. no withdrawal period

IM use: 30 days. SC use: 44 days.

  - piim. no withdrawal period

Milk: Not authorised for use in animals producing milk for human consumption including pregnant animals intended to produce milk for human consumption.

-

lammas

- liha ja söödavad koed. 39 day

- piim. no withdrawal period

Milk: Not authorised for use in animals producing milk for human consumption including pregnant animals intended to produce milk for human consumption

Subkutaanne:

- **veis**

- liha ja söödavad koed. no withdrawal period

IM use: 30 days. SC use: 44 days.

- piim. no withdrawal period

Milk: Not authorised for use in animals producing milk for human consumption including pregnant animals intended to produce milk for human consumption.

- **veis**

- liha ja söödavad koed. no withdrawal period

IM use: 30 days. SC use: 44 days.

- piim. no withdrawal period

Milk: Not authorised for use in animals producing milk for human consumption including pregnant animals intended to produce milk for human consumption.

Veterinaarravimite anatoomilis-terapeutilis-keemilise klassifikatsiooni (ATCvet) kood:
QJ01BA90

Ravimi kuuluvus:
Retseptiravim - veterinaarravim

Müügiloa staatus:
Valid

Müügiluba riikides:

Itaalia

Pakendi kirjeldus:
Termini tõlkekeel(ed) English
Termini tõlkekeel(ed) English

Lisateave

Loa liik:
Termini tõlkekeel(ed) English French Croatian Italian Latvian Finnish Swedish Icelandic Norwegian

Ravimi müügiloa õiguslik alus:
Termini tõlkekeel(ed) English Italian Latvian Norwegian

Müügiloa hoidja:
Laboratorios Karizoo S.A.

Müügiloa kuupäev:
1/01/2023

Partii vabastamise tootmiskohad:
Przedsiebiorstwo Wielobranzowe Vet-Agro Sp. z o.o.

Vastutav asutus:
Ministry Of Health

Müügiloa number:
105642

Müügiloa staatuse muutmise kuupäev:
1/01/2023

Viiteliikmesriik:
Hispaania

Müügiloamenetluse number:
ES/V/0409/001

Asjaomased liikmesriigid:
Belgia Küpros Kreeka Ungari Itaalia Portugal Rumeenia

To consult adverse reactions on veterinary medicinal products please go to www.adrreports.eu/vet

Dokumendid

Combined File of all Documents

Seda dokumenti selles keeles ei eksisteeri (eesti). Selle leiate allpool teises keeles.

Ravimi omaduste kokkuvõte

Seda dokumenti selles keeles ei eksisteeri (eesti). Selle leiate allpool teises keeles.

Pakendi infoleht

Seda dokumenti selles keeles ei eksisteeri (eesti). Selle leiate allpool teises keeles.

Pakendi märgistus

Seda dokumenti selles keeles ei eksisteeri (eesti). Selle leiate allpool teises keeles.

eu-PUAR-flortek-300-mg-ml-solution-for-injection-for-cattle--sheep-and-pigs-en.pdf