

**PARTICULARS TO APPEAR ON THE OUTER PACKAGE>**  
**Carton boxes**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Portugal: SINERGEL FIPRONIL 50 MG SOLUÇÃO UNÇAO PUNCTIFORME  
PARA GATOS

Spain: SINERGEL FIPRONILO 50 MG SOLUCIÓN SPOT-ON PARA GATOS

Fipronil

**2. STATEMENT OF ACTIVE AND OTHER SUBSTANCES**

Each pipette of 0.5 ml contains:

**Active substance:**

Fipronil 50 mg

**Excipients:**

Butylhydroxyanisole (E320) 0.10 mg

Butylhydroxytoluene (E321) 0.05 mg

**3. PHARMACEUTICAL FORM**

Spot-on solution.

Clear colourless to yellow solution

**4. PACKAGE SIZE**

Package sizes:

1,2,3,4,5,6,8,10,12,24,30,60,90,120 or 150 pipettes in carton box

**5. TARGET SPECIES**

Cats

**6. INDICATION(S)**

Treatment and prevention of flea infestations (*Ctenocephalides felis*). Fleas present on the animal at the time of product application will be killed within 48 hours. The veterinary medicinal product has persistent insecticidal efficacy lasting for 4 weeks against *Ctenocephalides felis* fleas.

Treatment and prevention of tick infestations (*Rhipicephalus turanicus*). Ticks present on the animal at the time of veterinary medicinal product application will be killed within 48 hours. The **veterinary medicinal** product has persistent acaricidal efficacy for 4 weeks against *Rhipicephalus turanicus* ticks.

## 7. METHOD AND ROUTE(S) OF ADMINISTRATION

Spot-on use.

1 pipette of 0.50 ml per cat.

### **Method of administration**

Hold upright. Tap the narrow part of the pipette to ensure the contents are within the main body of the pipette.

Break back the snap-off top from the spot-on pipette along the scored line. Part the coat between the shoulder blades until the skin is visible. Place the tip of the pipette on the skin and squeeze gently at one or two spots to empty its contents onto the skin.

Care should be taken to avoid excessive wetting of the hair with the [veterinary medicinal product](#) since this will cause a sticky appearance of hairs at the treatment spot. However, should this occur, it will disappear within 24 hours post application.

In the absence of safety studies, the minimum treatment interval is 4 weeks.

## 8. WITHDRAWAL PERIOD

Not applicable.

## 9. SPECIAL WARNING(S), IF NECESSARY

Read the package leaflet before use.

## 10. EXPIRY DATE

<EXP {month/year}>

## 11. SPECIAL STORAGE CONDITIONS

This veterinary medicinal product does not require any special storage conditions.

## 12. SPECIFIC PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCTS OR WASTE MATERIALS, IF ANY.

Dispose of waste material in accordance with local requirements.

Disposal: read package leaflet.

## 13. THE WORDS “FOR ANIMAL TREATMENT ONLY” AND CONDITIONS OR RESTRICTIONS REGARDING SUPPLY AND USE, IF APPLICABLE

For animal treatment only.

## 14. THE WORDS “KEEP OUT OF THE SIGHT AND REACH OF CHILDREN”

Keep out of the sight and reach of children.

**15. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER**

Sinergic Chemical S.L.  
C/ Velázquez N<sup>o</sup> 64, 4<sup>o</sup> Izq  
28001 Madrid  
Spain

**16. MARKETING AUTHORISATION NUMBER(S)**

**17. MANUFACTURER'S BATCH NUMBER**

<Batch> {number}

**MINIMUM PARTICULARS TO APPEAR ON PIPETTES**

**Coex pipettes**

**1. NAME OF THE VETERINARY MEDICINAL PRODUCT**

Portugal: SINERGEL FIPRONIL 50 MG SOLUÇÃO UNÇAO  
PUNCTIFORME PARA GATOS

Spain: SINERGEL FIPRONILO 50 MG SOLUCIÓN SPOT-ON PARA GATOS

Fipronil

**2. NAME OF THE MARKETING AUTHORISATION HOLDER**

Sinergic Chemical S.L.

**3. EXPIRY DATE**

Impressed: {month/year}

**4. BATCH NUMBER**

Impressed: {number}

**5. THE WORDS "FOR ANIMAL TREATMENT ONLY"**

For animal treatment only.