

## Summary of Product Characteristics

### 1 NAME OF THE VETERINARY MEDICINAL PRODUCT

Gulliver's Flea Collar for Cats

### 2 QUALITATIVE AND QUANTITATIVE COMPOSITION

Each collar contains:

**Active substance:**

Dimpylate (as stabilized diazinon at 92% diazinon) 2.1 g

**Excipients:**

Erythrosine (E127) 0.042 g

For a full list of excipients, see section 6.1

### 3 PHARMACEUTICAL FORM

Collar.

### 4 CLINICAL PARTICULARS

#### 4.1 Target Species

Cats

#### 4.2 Indications for use, specifying the target species

For the treatment of cats with fleas (*Ctenocephalides felis*)

#### 4.3 Contraindications

Do not use in case of known hypersensitivity to the active ingredient(s).

Do not use on sick and recovering cats.

Do not use in known cases of liver disorder.

Do not use on pregnant animals.

#### 4.4 Special warnings for each target species

None.

#### 4.5 Special precautions for use

##### Special precautions for use in animals

None.

##### Special precautions to be taken by the person administering the veterinary medicinal product to animals

Due to the potential risk of hypersensitivity developing in humans to dimpylate, unnecessary handling of this product should be avoided.

#### **4.6 Adverse reactions (frequency and seriousness)**

An intoxication typical for organophosphorus compounds occurs rarely.

#### **4.7 Use during pregnancy, lactation or lay**

Use during pregnancy is not recommended.

#### **4.8 Interaction with other medicinal products and other forms of interaction**

Do not combine with other organophosphorus compounds or medicines which are not compatible with organophosphorus compounds.

#### **4.9 Amounts to be administered and administration route**

Dosage: 1 collar

Administration: put the collar around the neck of the cat

#### **4.10 Overdose (symptoms, emergency procedures, antidotes), if necessary**

Symptoms: tearing, salivation, muscle twitches, vomiting, loss of reflexes, coma, cyanosis.

Emergency procedure: remove the collar

Antidote: atropine. Sedation may be required to control excessive muscle activity.

#### **4.11 Withdrawal Period(s)**

Not applicable

### **5 PHARMACOLOGICAL or IMMUNOLOGICAL PROPERTIES**

Pharmacotherapeutic group: Ectoparasiticides for topical use.

ATCvet code: QP53AF03

#### **5.1 Pharmacodynamic properties**

The collar is applied round the cat's neck. The collar is constantly excreting diazinon during a period of 4 months. Fleas on the skin of the animal come in touch with the diazinon and get killed.

### **6 PHARMACEUTICAL PARTICULARS**

#### **6.1 List of excipients**

Erythrosine (E127)  
Polyvinyl chloride  
Di-(2-ethylhexyl)phthalate  
Di-isobutylphthalate  
Calcium stearate  
Zinc stearate  
Epoxidised soya bean oil  
Stearic acid  
Calcium carbonate

## **6.2 Incompatibilities**

None known.

## **6.3 Shelf-life**

Shelf-life of the veterinary medicinal product as packaged for sale: 5 years

## **6.4 Special precautions for storage**

Do not store above 25°C.

Store in the closed package.

Protect from light.

## **6.5 Nature and composition of immediate packaging**

A sachet or blister contains 1 collar. The sachet is a white paper, coated with aluminium and polyethylene. The blister is aluminium cardboard, built up in several layers, sealed with polyethylene foil.

## **6.6 Special precautions for the disposal of unused veterinary medicinal products or waste materials**

Unused product or waste material should be disposed of in accordance with current practice for pharmaceutical waste under National Waste disposal regulations.

## **7 MARKETING AUTHORISATION HOLDER**

Chanelle Pharmaceuticals Manufacturing Ltd.  
Loughrea  
Co. Galway  
Ireland

## **8 MARKETING AUTHORISATION NUMBER(S)**

VPA 10987/014/001

## **9 DATE OF THE FIRST AUTHORISATION/RENEWAL OF THE AUTHORISATION**

30th September 2009

## **10 DATE OF REVISION OF THE TEXT**