



LUTEOSYL 0.075 mg/ml solution for injection for cattle and pigs PRELLIM 0.075 mg/ml solution for injection for cattle and pigs (UK)

Company:

LABORATORIOS SYVA, S.A.U

VARIATION ASSESSMENT REPORT

Variation procedure application N° ES/V/0143/001/IB/003

CORREO ELECTRÓNICO



VARIATION ASSESSMENT REPORT

PRODUCT DETAILS

Name of product	LUTEOSYL 0.075 mg/ml solution for injection for cattle and pigs	
Active ingredient(s)	d-Cloprostenol	
	(as d-cloprostenol sodium)	
Target Species	Cattle and Pigs	
Route of administration	Solution for injection (Intramuscular Use)	

APPLICATION DETAILS

Type of Application	Type IB	
Name and Address of Applicant	LABORATORIOS SYVA, S.A.U.	
	Avda. Párroco Pablo Díez, 49-57	
	24010 LEÓN (SPAIN)	
Phone and Fax Numbers	Telephone: +34 987 800 800	
	Telefax:: +34 987 805 852	
Email address	Mª TERESA L. VARELA RODRÍGUEZ	
	E-mail: teresa.varela@syva.es	
Reference Number for Application	ES/V/0143/001/IB/003	
Reference Number in RMS	1752 ESP	
Date of the first marketing authorisation in RMS	20-June- 2007	

REFERENCE MEMBER STATE DETAILS

Assessment Report prepared by	ES	
Date of preparation	05/12/2014	
Contact name	Mª Carmen Sánchez Martinez	
Address	AEMPS	
	C/ Campezo, n° 1, bl.8, 1E	
	28022 Madrid	
	Spain	
Phone number	+ 34 91 822 5414	
Fax number	+ 34 91 822 5443	
Email for Applicants	mresvet@agemed.es	
Email for CMSs	<u>es-v.mrve@msc.es</u>	

CONTACT WITH ASSESORS

Area	Contact name	Telephone number	E-mail address
Quality	Vanesa Guillén Casla	+34 91 8225857	vguillen_beca@aemps.es

NATURE OF VARIATION

B.II.d.2.d) Change in the test procedure for the finished product. Other changes to a test procedure (including replacement or addition) (Type IB variation).

Current situation	Proposed changes
Reference method	Test method
Chromatographic conditions:	Chromatographic conditions:
Column: Chiral AGP (150 mm x 4.0 mm, 5	Column: Lux Cellulose-1 (100 mm x 4.6 mm,
mcm)	5 mcm)
Flow: 1.2 ml/min	Flow: 1.0 ml/min
UV Detection: 220 nm	UV Detection: 205 nm
Injection volume: 20 mcl	Injection volume: 100 mcl
Column temperature: -	Column temperature: 25 °C
Mobile phase:	Mobile phase:
Acetonitrile 70 ml	Water 400 ml
Ammonium acetate solution 20 mM 930 ml.	Methanol 600 ml
	TFA 1 ml

SUMMARY OF THE DOSSIER

The analysis of enantiomeric purity in the veterinary medicinal product LUTEOSYL has been modified and, the proposed analytical method (Test method) improves the currently approved one (Reference method. A cross-validation has been carried out and the results obtained prove that the Test method increases the sensibility (lower DL and QL), and improves accuracy and precision. Subsequently of this change a type IB variation is submitted:

B.II.d.2.d) Change in the test procedure for the finished product. Other changes to a test procedure (including replacement or addition).

For this purpose the applicant has submitted the following documents to support the modification of the analytical method:

- Revised Standard Operating procedure for Luteosyl for the enantiomeric purity analytical method. The revised SOP includes a description of the analytical method and revised specifications.
- Validation of the assay method for enantiomeric purity in the veterinary medicinal product LUTEOSYL 0.075mg/ml solution for injection.

• A copy of currently authorised specifications for the finished product, at release and at shelf life (appearance, pH, sterility, Chlorocresol and d- Chlorocresol identification, volume control, and packaging), have also been submitted.

RMS comments

The above variation is considered acceptable on the basis that the application has been submitted simultaneously to all Concerned Member States, the relevant fees have been paid as required by national competent authorities and correct supporting information and documents have also been presented according to the conditions specified for the proposed changes as listed in the Commission Guideline. Failure to comply with this provision may subsequently deem the variations invalid. Consequently, the Spanish Agency (AEMPS) can accept the variation detailed in the application.